


A close-up, low-angle shot of a car's steering wheel. The wheel is dark, possibly black or dark grey, with a leather-like texture. The Chrysler logo, a silver winged emblem with the word "CHRYSLER" on it, is prominently displayed on the left side of the wheel. The background is blurred, showing parts of the car's interior like the dashboard and air vents. The overall lighting is dramatic, with strong highlights and deep shadows.

QUICK START GUIDE

CHRYSLER PACIFICA



Garage Door Opener

Instrument Cluster Display Buttons

Cruise Control Buttons

AUX/Media USB Ports (C/A)

Driver Memory Buttons

Radio On/Off

Gear Selector

Hood Release

Electric Park Brake

Power Outlet/USB Charge-Only Ports (C/A)

Storage Drawer Access Button

Garage Door Opener



1 While the car is ON, hold the handheld garage door transmitter 1-3 inches from the HomeLink® button you want to program in the vehicle.

2 Push and hold both the HomeLink® button being programmed and the button on the garage door transmitter.

TO ERASE ALL SET CHANNELS:

Push and hold the two outside HomeLink® buttons for 20 seconds until the orange indicator flashes. An individual channel cannot be erased.



ROLLING OR NON-ROLLING?

Check your garage door opener motor in your garage for a “LEARN” or “TRAIN” button by the hanging antenna. If you have one of these, you have a Rolling Code garage door opener.

3

For **Non-Rolling Code** garage door openers, watch for the indicator light to go constant.

For **Rolling Code** garage door openers, watch for the indicator light to go from a slow blink to blinking rapidly.

4

For Rolling Code garage door openers only, firmly push and release the “LEARN” or “TRAIN” button on your garage door opener motor in your garage, then push the HomeLink® button in your vehicle three times (holding the button for two seconds each time).

5

If the programming was successful, your garage door should open and close with your chosen HomeLink® button.

Scan For
HomeLink®
Video



NEED ASSISTANCE?

1-800-355-3515

Pair a Phone



- 1** Make sure Bluetooth® is enabled on your mobile device
- 2** With the vehicle in the ON/RUN position, press the Phone button on the vehicle's touchscreen menu bar
- 3** Press "Device Manager"
- 4** Press "Add Device"
- 5** Follow the prompts on your phone and on the touchscreen

Troubleshooting

- 1** Perform a reset by holding the power button on the radio for 15 seconds
- 2** Reboot your phone
- 3** Remove the paired phone
- 4** Follow the Pair a Phone steps above to set up phone

CONNECT YOUR APPS

Connect your smartphone to the media USB port or pair your smartphone within "Device Manager".

The Android Auto™ or Apple CarPlay® icon will replace the phone icon on the touchscreen.

KEEP IN MIND:




For Android™ Users, if the Android Auto™ app was not previously downloaded, it will download the first time you plug in your device.



For Apple® Users, Apple CarPlay® is only compatible with iPhone® 5 or later and requires Siri being enabled in "Settings".

Ready to remove a phone or audio device?

- 1** Press "Device Manager" on the touchscreen.
- 2** Press the Settings gear icon next to the phone or device you wish to remove.
- 3** Press "Delete Device". The device should be removed.
- 4** On your phone's Bluetooth® or setup menu, remove the saved Uconnect radio.



Scan For
Apple CarPlay®
Video



Connected Services

WITH CONNECTED SERVICES YOU CAN...



Lock Your Vehicle



Unlock Your Vehicle



Remote Start Your Vehicle



Cancel Remote Start



Activate Your Horn

ACTIVATE YOUR REMOTE SERVICES




- 1 Press “Apps” on the touchscreen.
- 2 Press “Activate Services”.
- 3 Press “Activate Now”.
- 4 There are two ways to activate: via email or via an agent. On the next screen, you can either enter your name and email, or press “Call An Agent” to directly speak with an agent.

Scan For Chrysler App Video



Climate Controls



- Press the  button to turn on the front defroster. Use with maximum temperature setting for best defrosting performance.
- Touch REAR CLIMATE on the touchscreen to turn on the rear climate control. Touch REAR AUTO to control the rear temperature automatically or use the rear climate temperature control to adjust the temperature.
- Touch LOCK REAR on the touchscreen to limit control of the rear climate settings to the front passengers.

Scan For Auto Climate Video



Scan for Manual Climate Video



Head Restraints

UP/DOWN ADJUSTMENT

Pull up on the head restraint to raise it.

Push the adjustment button while pushing down on the head restraint to lower it.

REMOVAL

With the head restraint raised all the way, push the release and adjustment buttons while pulling up on the head restraint.

INSTALLATION

Insert the head restraint posts into the holes and push downward.



Release Button

Adjustment Button

TIP:

The seatback angle may need to be adjusted to fully remove the head restraint.

TILTED

FORWARD ADJUSTMENT

To **tilt forward**, pull the top of the head restraint toward the front of the vehicle to the desired position.



UPRIGHT

REARWARD ADJUSTMENT

To **tilt rearward**, pull the top of the head restraint to the farthest forward position and the head restraint will return to the upright position.

Scan For
Seats Overview
Video



Hands-Free Liftgate, Sliding Doors, & Pedestrian Alert



KEEP IN MIND:

While the key fob is with you, use a straight in and out or sweeping kicking motion under the appropriate zone to open the Hands-Free Liftgate or Hands-Free Sliding Door. The feature does not close the doors.

If equipped with the Trailer Tow Package:

The activation zones for the Hands-Free Liftgate will be located on the left and right sides of the receiver.

Did You Know You May Have An Audible Pedestrian Alert System?

In Hybrid vehicles (in electric mode only), a sound is emitted to alert pedestrians that your vehicle is approaching. The sound will increase or decrease in volume depending on the speed of the vehicle.



Scan For
Pedestrian
Warning Video



Scan For
Sliding Door &
Liftgate Video



REAR SEAT ENTERTAINMENT WITH AMAZON FIRE TV BUILT-IN

GET STARTED

You will be prompted to pair the Voice Remote with Alexa, connect to a network, and sign into an Amazon account. You can also enable parental controls.

Rear Seat Entertainment with Amazon Fire TV built-in can stream movies, music, and much more!

- 1 Push the Power button on the Voice Remote with Alexa or tap on either of the rear touchscreens to turn on the screen
- 2 Select from one of the available apps or source inputs. There are AUX and HDMI ports located near both displays on the seatbacks.

Scan For
Rear Seat Pairing
Video



Scan For
Phone Pairing
Video



Scan For Remote
& Touchscreen
Video



Scan For Rear Seat
DVD/Blu-ray™
Video



GET TO KNOW YOUR VOICE REMOTE WITH ALEXA



REAR SEAT ENTERTAINMENT WITH AMAZON FIRE TV BUILT-IN HEADPHONE PAIRING

- 1 Push the Gear/Settings button on the Voice Remote with Alexa or tap the screen
- 2 Select the Gear/Settings icon on the screen
- 3 Select "Settings" on the screen
- 4 While in Settings, select "Controllers & Bluetooth® Devices"
- 5 Select "Other Bluetooth® Devices" and follow the on-screen steps for pairing

DID YOU KNOW?

You can download games from the Apps menu to play on your rear touchscreen

Voice Recognition

CONTROL YOUR UCONNECT SYSTEM USING YOUR VOICE!

If your Uconnect system is equipped with Navigation, you also have access to built-in Voice Recognition. If your Uconnect system is not equipped with Navigation, refer to the Android Auto™ or Apple CarPlay® instructions below.

- 1 Push the Voice Recognition button or say the Uconnect “Wake Up” word to begin.
- 2 After the beep, say a command. Below are a few examples:
 - “Call <phone contact>.”
 - “Change Source to FM.”
 - “Call 123-456-7891.”
 - “Navigate to <desired location>.”
 - “Tune to 95.5.”

TIP:

The “Wake Up” word is customizable within Vehicle settings. You can set it to “Hey, Uconnect” or “Hey, Chrysler”.

KEEP IN MIND:

There may be an inconsistent volume between different audio sources.

Using Android Auto™ Or Apple CarPlay®?

You can use Voice Recognition with Android Auto™ and Apple CarPlay®!

- 1 Activate Android Auto™ or Apple CarPlay® from “Device Manager” in Phone Mode. The respective icon will replace the Phone icon in the menu bar.
- 2 Push and hold the Voice Recognition button to start a Voice session using Android Auto™ or Apple CarPlay®.



Push To Answer
An Incoming Call

Push To End
A Call

Push To Start
Voice Recognition


Scan For Voice
Recognition Video



Uconnect 5/5 NAV

-  **HOME**
Customize your Home page with Widgets.
-  **MEDIA**
Listen to radio stations and play media.
-  **COMFORT**
Adjust the vehicle’s multiple climate control options.
-  **NAVIGATION**
Search for and navigate to any destination.
-  **PHONE**
Pair your smartphone and make hands-free calls.
-  **VEHICLE**
Access vehicle settings and vehicle-specific features.
-  **APPS**
Access any app installed on your Uconnect system.

Customizable Upper Status Bar



Reconfigurable Bottom Menu Bar

INSTRUMENT CLUSTER SCREEN SETUP

Customize displayed information such as the time:

- 1 Use the Up and Down arrows to select “Screen Setup” in the instrument cluster display.
- 2 Select an area of the cluster to display the time. Once selected, pick “Time”. The current time will now display in that area of the cluster.

Scan For
Radio Video



Scan For
Uconnect 5
Nav Video



Scan For
Uconnect 5
Settings Video



Chrysler Pacifica Plug-In Hybrid Minivan



Available Hybrid powertrain with the ability to go 32 miles **ALL ELECTRIC**



With a total combined gas and electric driving range of 520 miles!



Featuring **Max Regeneration!** This feature gives you the ability to see when the vehicle is charging through regenerative braking.

Charge your vehicle in 14 hours with Level 1 Charging (120V outlet) and **only 2 hours** with Level 2 Charging (240V outlet).


Scan For Charging Video



FamCAM

The **FamCAM** interior camera features automatic day and night modes as well as a split screen option to help you keep an eye on your precious cargo, even a child in a rear-facing child seat!

Monitor the whole crew with a Best-in-Class HD picture



Radio User Profiles

Your Uconnect 5 system has the ability to store five custom **User Profiles**. These Profiles can be tailored to fit each individual driver's needs.

Your system also has the option for two phones to be paired at once, opening up options for each individual phone.



Advanced Driver Assistance Systems



Use these buttons to activate your **Cruise Control system** and set your speed.



Scan For ACC Video



Use these buttons to activate your **Adaptive Cruise Control (ACC) with Stop 'n Go system** and set your following distance.



Scan For FCW Video



Turn the **Forward Collision Warning (FCW) system** on or off, and adjust the sensitivity and active braking status through your radio.



The **Pedestrian Emergency Braking (PEB) system** is a subsystem of FCW that provides audible and visual warnings, and may apply automatic braking when it detects a potential frontal collision with a pedestrian. You can turn the PEB system on or off through your radio.

Light Operation

Parking Lights & Instrument Panel Lights

Headlights, Parking Lights, & Instrument Panel Lights



Fog Lights

KEEP IN MIND:

Vehicles sold in Canada are equipped with a headlight switch with an AUTO and ON detent but without an OFF detent. Headlights will be deactivated when the headlight switch is placed in the parking lights position. However, the Daytime Running Lights will be activated along with the front and rear marker lights.

Scan For Lights & Wipers Video



PUSH
TO ACTIVATE **HIGH BEAMS**



PULL
FOR **FLASH-TO-PASS**

Scan For Multifunction Lever Video



Warning & Indicator Lights

| | | | | | | | | | |
|--|-----------------------------------|---|---|---|---|--|--|---|---------------------------------------|
|  | Air Bag |  | Battery Charge |  | Brake |  | Door Open |  | Electric Power Steering Fault |
|  | Electronic Throttle Control (ETC) |  | Engine Coolant Temperature |  | Hood Open |  | Hybrid Electric Vehicle System Service Light |  | Liftgate Open |
|  | Oil Pressure |  | Oil Temperature |  | Plug Status Fault |  | Seat Belt Reminder |  | Torque Limited Warning |
|  | Transmission Temperature |  | Vehicle Security |  | Adaptive Cruise Control (ACC) Fault |  | Anti-Lock Brake System (ABS) |  | Automatic Emergency Braking (AEB) off |
|  | Electric Park Brake |  | Electronic Stability Control (ESC) Active |  | Electronic Stability Control (ESC) off |  | Engine Check/Malfunction Indicator |  | LaneSense |
|  | Low Fuel |  | Low Washer Fluid |  | Service All-Wheel Drive (AWD) |  | Service Automatic Emergency Braking (AEB) |  | Service LaneSense |
|  | Service Stop/Start System |  | Tire Pressure Monitoring System (TPMS) |  | Adaptive Cruise Control (ACC) Set With No Target Detected |  | Adaptive Cruise Control (ACC) Set With Target Detected |  | Cruise Control Set |
|  | Front Fog |  | LaneSense |  | Max Regeneration |  | Parking/Headlights On |  | Plug Status |
|  | Ready To Drive |  | Stop/Start Active |  | Turn Signal |  | Adaptive Cruise Control (ACC) Ready |  | Cruise Control Ready |
|  | LaneSense |  | Passive Speed Limiter |  | Set Speed Display |  | High Beam | | |

For additional information on any of the topics in this publication, please refer to your Owner's Manual.